JUNIOR POULTRY DEPARTMENT DEPARTMENT - 207

Also see Division - 210, Poultry and Poultry Science Exhibits

RULES

- 1. No exhibitor may exhibit more than 20 birds, by poultry class, breed and variety. Only one of each variety per age classification may be exhibited.
- Age classifications. The date of hatching for determining the distinction between young and old is January 1st of the exhibit year. Age classification and Poultry categories are as follows:

	OL	.D	YOUNG			
	<u>Male</u>	<u>Female</u>	<u>Male</u>	<u>Female</u>		
Chickens	Cock	Hen	Cockerel	Pullet		
Ducks	Old Drake	Old Duck	Young Drake	Young Duck		
Geese	Old Gander	Old Goose	Young Gander	Young Goose		
Turkeys	Old Tom	Old Hen	Young Tom	Young Hen		
Pigeons	Old Cock	Old Hen	Young Cock	Young Hen		

- A judging class may be combined or separated at the superintendent's discretion. If a class is divided, a minimum of
 five will constitute a judging class. Every effort shall be made so junior exhibitors can exhibit their specific variety of
 poultry.
- 4. Exhibitors entering the "Any other" fowl classes specify variety on entry form.
- 5. Exhibitors are to furnish their own feeding and watering equipment as well as feed for their birds and shavings.
- 6. Selling of birds other than in the Livestock Auction is prohibited. Any advertising or signs on cages are prohibited.
- 7. It is recommended that birds brought to the fair be kept separate from the flock for two weeks after returning home to insure freedom from disease.
- 8. Poultry must have been under the care of the exhibitor by May 1 of this year. Exception of: Broiler Chickens (Division #1) and Young Ducks (Division #3).
- 9. For your birds' protection and <u>pullurom testing</u>, a <u>numbered leg band is mandatory</u>. The band should appear on the entry blank or submitted to the poultry superintendent when the birds are cooped.
- 10. All pigeons must be banded with a seamless dated band.
- 11. Exhibitors entering in Division: Pigeons specify breed on entry form.
- 12. All poultry over 4 months of age and turkeys over 6 months of age, shall be accompanied by documentation of a negative test for pullorum-typhoid conducted within 90 days of arrival at the exhibition or originate from a flock designated as "U.S. Pullorum-Typhoid Clean". The test for turkeys is different than for chickens and must be done by someone certified to test turkeys or a veterinarian.
- 13. Birds showing any sign of external parasites and/or signs of disease shall not be allowed to be cooped in. See Wisconsin Rules & Regulations.
- 14. Cage fees are \$1.50 per animal.
- 15. All entries must display full plumage. Very young, down covered birds will not be allowed to be exhibited.
- 16. All birds and egg entries must be in place by 6:00 pm Wednesday of fair week.
- 17. Market birds must be weighed in upon arrival, and no later than 6 pm.
- 18. Exhibitors are to participate in at least one 2-hour shift of "Poultry Patrol" in the tent during the Fair.
- 19. Judges decision is final once awards are presented to exhibitor.

DIVISIO Class N	N: STAND	DARD CH	HICKENS	Blue Red White Pink					
Class IV	ю.			2.00 1.75 1.50 1.25					
Cock	Hen Coc	kerel Pu	llet Americ						
1	2	3	4	Plymouth Rock					
5	6	7	8	Wyandotte					
9	10	11	12	Rhode Island Red					
13	14	15	16	Jersey Giants					
17	18	19	20	Any other APA recognized American					
				(examples: Dominiques, Buckeyes, Javas)					
Asiatic									
21	22	23	24	Brahmas, light, buff any other					
25	26	27	28	Cochins					
29	30	31	32	Langshan					
English	1								
33	34	35	36	Orpingtons					
37	38	39	40	Australorps					
41	42	43	44	Any other APA recognized English (examples: Cornish, Sussex)					

13 14 15 16 Leghorns 17 18 19 20 Japanese 21 22 23 24 New Hampshire 25 26 27 28 Plymouth Rocks 29 30 31 32 Rhode Island Red 33 34 35 36 Austrolorp 37 38 39 40 Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Ameraucana 77 </th <th>Micaile</th> <th>ancan</th> <th></th> <th></th> <th></th>	Micaile	ancan			
Continental	45	46	47	48	Leahorns
Continental	40				
Single Comb Clean Legged Single Comb Clean Single Comb Clean Legged Single Comb Clean Single Comb Clean Single Comb Clean Single Comb Single C	43	30	31	32	
53					(examples: Sicilian Buttercups, Minorcas, Andulusians, Anconas)
53					
53	Continen	ıtal			
Single Comb Clean Legged Single Comb Clean Legged 1			55	56	Polish
61 62 63 64 Campine Any other APA recognized Continental Class (examples: Lakenvelders, Houdans, La Fleche)					
AFF					
Reservoiders Rese	61	62	63	64	Campine
Reservoiders Rese	65	66	67	68	Any other APA recognized Continental Class
All Other Standard Breeds 69 70 71 72 Sumatra 73 74 75 76 Phoenix 77 78 79 80 Ameraucana 81 82 83 84 Any other APA recognized Standard Breeds (example: Yokohamas) DIVISION: BANTAM CHICKENS Class No. Blue Red White Pink 2.00 1.75 1.50 1.25 Cock Hen Cockerel Pullet Game Bantam 1 2 3 4 Modem 5 6 7 8 Old English 9 10 11 12 American Game Single Comb Clean Legged 13 14 15 16 Leghorns 17 18 19 20 Japanese 21 22 23 24 New Hampshire 22 5 26 27 28 Plymouth Rocks 23 33 34 35 36 Austrolorp 33 3 34 35 36 Austrolorp 33 3 34 35 36 Austrolorp 41 42 43 44 Belgian Bearded D'Anvers 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 61 62 63 64 Wyandottes 65 66 67 68 Rosecombs 67 58 59 60 Sebrights 61 62 63 64 Wyandottes 68 70 71 72 Ameraucana 69 70 71 72	00	00	o.	00	
Fig.					(examples, Lakenvelders, Floudans, La Fleche)
69	All Other	Ctonde	and Dragal	_	
73					
77		70	/1	72	
B1	73	74	75	76	Phoenix
B1	77	78	79	80	Ameraucana
DIVISION: BANTAM CHICKENS Class No. Blue Red White Pink 2.00 1.75 1.50 1.25					
Class No.	01	02	00	04	Any other At A recognized otanidate breeds (example: Tokonamas)
Cock					
Cock	DIVISION	I- RANT	AM CHIC	KENS	
1.75			AIII OI IIO	IXEI10	Blue Ped White Pink
1	Class NO	'-			
1					
5 6 7 8 Old English American Game Single Comb Clean Legged 13 14 15 16 Leghorns 17 18 19 20 Japanese 21 22 23 24 New Hampshire 25 26 27 28 Plymouth Rocks 29 30 31 32 Rhode Island Red 33 34 35 36 Austrolorp 37 38 39 40 Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 <t< td=""><td>(</td><td>Cock</td><td>Hen Coc</td><td>kerel Pul</td><td>let Game Bantam</td></t<>	(Cock	Hen Coc	kerel Pul	let Game Bantam
5 6 7 8 Old English American Game Single Comb Clean Legged 13 14 15 16 Leghorns 17 18 19 20 Japanese 21 22 23 24 New Hampshire 25 26 27 28 Plymouth Rocks 29 30 31 32 Rhode Island Red 33 34 35 36 Austrolorp 37 38 39 40 Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
5 6 7 8 Old English American Game Single Comb Clean Legged 13 14 15 16 Leghorns 17 18 19 20 Japanese 21 22 23 24 New Hampshire 25 26 27 28 Plymouth Rocks 29 30 31 32 Rhode Island Red 33 34 35 36 Austrolorp 37 38 39 40 Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 <t< td=""><td>1</td><td>2</td><td>3</td><td>4</td><td>Modern</td></t<>	1	2	3	4	Modern
Single Comb Clean Legged 13 14 15 16 Leghorns 17 18 19 20 Japanese 21 22 23 24 New Hampshire 25 26 27 28 Plymouth Rocks 29 30 31 32 Rhode Island Red 33 34 35 36 Austrolorp 37 38 39 40 Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucans <td< td=""><td></td><td>6</td><td></td><td></td><td></td></td<>		6			
Single Comb Clean Legged 13					· ·
13 14 15 16 Leghorns 17 18 19 20 Japanese 21 22 23 24 New Hampshire 25 26 27 28 Plymouth Rocks 29 30 31 32 Rhode Island Red 33 34 35 36 Austrolorp 37 38 39 40 Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana) Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle	9	10	11	12	American Game
13 14 15 16 Leghorns 17 18 19 20 Japanese 21 22 23 24 New Hampshire 25 26 27 28 Plymouth Rocks 29 30 31 32 Rhode Island Red 33 34 35 36 Austrolorp 37 38 39 40 Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana) Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 111 112 Any Other Belgian D'Uccle	0:! 0 -	I- OI		1	
17	_				
21 22 23 24 New Hampshire 25 26 27 28 Plymouth Rocks 29 30 31 32 Rhode Island Red 33 34 35 36 Austrolorp 37 38 39 40 Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (e	13	14	15		Leghorns
21 22 23 24 New Hampshire 25 26 27 28 Plymouth Rocks 29 30 31 32 Rhode Island Red 33 34 35 36 Austrolorp 37 38 39 40 Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 77 78 79 80 Polish	17	18	19	20	Japanese
25	21	22	23		
29					
33 34 35 36 Austrolorp 37 38 39 40 Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana) Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle	_				·
Any other APA recognized SCCL (example: Dutch, Delawares) Rose Comb Clean Legged 41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96					
Rose Comb Clean Legged 41	33	34	35	36	Austrolorp
41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucans Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 105 106	37	38	39	40	Any other APA recognized SCCL (example: Dutch, Delawares)
41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucans Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 105 106					
41 42 43 44 Belgian Bearded D'Anvers 45 46 47 48 Leghorns 49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucans Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 105 106	Rose Cor	mb Clea	an Legged	t	
45					Belgian Bearded D'Anvers
49 50 51 52 Rhode Island Red 53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana) Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle			_		
53 54 55 56 Rosecombs 57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana Any other Legged Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccl	_				
57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other <td></td> <td></td> <td></td> <td></td> <td></td>					
57 58 59 60 Sebrights 61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other <td>53</td> <td>54</td> <td>55</td> <td>56</td> <td>Rosecombs</td>	53	54	55	56	Rosecombs
61 62 63 64 Wyandottes 65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana) Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle					
65 66 67 68 Any other APA recognized RCCL (example: Hamburgs) Any other Comb Clean Legged 69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle					
Any other Comb Clean Legged 69 70 71 72					
69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle	65	66	6/	рд	Any other APA recognized ROOL (example: Hamburgs)
69 70 71 72 Ameraucana 73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucana Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle					
73 74 75 76 Cornish 77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucans Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle					
77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucans Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle					
77 78 79 80 Polish 81 82 83 84 Any other APA recognized AOCCL (example: Sumatras, Houdans, Araucans Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle	73	74	75	76	Cornish
Feather Legged 85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle					
Feather Legged 85					
85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle	01	02	os	04	ALIY OHIGE AFA TECOGRIZED ACCOL (EXAMPLE, SUMAHAS, MOUDANS, ARAUCANAS)
85 86 87 88 Brahmas 89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle	Faathau I				
89 90 91 92 Cochins 93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle					
93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle					
93 94 95 96 Silkies, whites 97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 Any Other Belgian D'Uccle	89	90	91	92	Cochins
97 98 99 100 Any other Silkies 101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 <u>Any Other</u> Belgian D'Uccle					
101 102 103 104 Langshans 105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 <u>Any Other</u> Belgian D'Uccle					
105 106 107 108 Belgian D'Uccle, Mille Fleur 109 110 111 112 <u>Any Other</u> Belgian D'Uccle					
109 110 111 112 <u>Any Other</u> Belgian D'Uccle					
109 110 111 112 <u>Any Other</u> Belgian D'Uccle	105	106	107	108	Belgian D'Uccle, Mille Fleur
TIO TI4 TIO TIO <u>Any Other</u> APA Recognized Feather-Legged (example: Faverolles, Sultans)					
	113	114	115	110	Any Other APA Recognized reather-Legged (example: Faverolles, Sultans)

Mediterranean

DIVISION: Class No.		S		Blue 2.00	Red 1.75	White Pink 1.50 1.25
Old Drake	Old Duck	Young Drake	Young Duck	2.00	1.75	1.30 1.23
Heavy We	eight					
1 5 9 13 17	2 6 10 14 18	3 7 11 15 19	4 8 12 16 20	Aylesbury Muscovy Pekin Rouen Silver Appl	eyard	
Medium V	_					
21 25 29 33	22 26 30 34	23 27 31 35	24 28 32 36	Cayuga Buff Swedish Crested		
Light Wei	ght 38	39	40	Runner		
41 45	42 46	43 47	44 48	Campbell Magpie		
Bantam D		5 4	50	0 "		
49 53 57	50 54 58	51 55 59	52 56 60	Call Mallard East Indie		
DIVISION: GEESE Class No.				Blue	Red	White Pink
Old	Old		Young	2.00	1.75	1.50 1.25
Gander G	oose G	ander G	oose Heav	y Weight		
1 5 9	2 6 10	3 7 11	4 8 12	African Embden Toulouse		
Medium V	_		4.0		. "	
13 17 21 25	14 18 22 26	15 19 23 27	16 20 24 28	American E Pilgrim Saddlebac Sebastopol	k Pomer	anian
Light Wei	ght					
29 33 37 41 45	30 34 38 42 46	31 35 39 43 47	32 36 40 44 48	Chinese, be Chinese, we Canada Egyptian Tufted Ron	hite	
DIVISION:	PIGEO	NS				
Class No.		Young	Young	Blue 2.00	Red 1.75	White Pink 1.50 1.25
Cock 1 5 9	Hen 2 6 10	Cock 3 7 11	Hen 4 8 12	Performing Utility Bree Fancy Bree	ds	ting Breeds

DIVISION: TURKEY

Class No.

25

29

				2.00	1.75	1.50	1.25
Old	Old	Young	Young				
Tom	Hen	Tom	Hen				
1	2	3	4	Beltsville Sma	all Whi	ite	
5	6	7	8	Black			
9	10	11	12	Bourbon Red	t		
13	14	15	16	Bronze			
17	18	19	20	Narragansett	t		
21	22	23	24	Royal Palm			

Red

White Pink

White Holland (Commercially known as Broad Whites or Large Whites).

Blue

DIVISION: HELMETED GUINEA FOWL

27

31

Class No.				Blue 2.00	Red 1.75	White	Pink 1.25
Cock	Hen	Cockere	Pullet	2.00	1 0	1.00	1.20
1	2	3	4	Lavender			
5	6	7	8	White			
9	10	11	12	Pearl			

28

32

DIVISION: SHOWMANSHIP

26

30

Entry number is determined by the exhibitor's age as of January 1st of the current calendar year. Any previous year age/class champion may move up to the next level for the current year.

Class No.	Blue	Red	White	Pink
	6.00	5.00	4.00	3.00

Slate

- 1. Beginner (age 11 & under)
- 2. Junior (ages 12-14)
- 3. Senior (age 15 and over)
- 4. Advanced Showman (any show person age 15 and above who has received a champion showmanship trophy from a County Fair and/or any Wisconsin Poultry Show MUST sign up for this entry. Champions (ages 12-14) MAY sign up for this entry.)

DIVISION: POULTRY PRODUCTS

Class No.	Blue	Red	White	Pink
	2.00	1.75	1.50	1.25

- 1. Any standard layer hen and one dozen of its own eggs
- 2. Large brown eggs, one dozen, in egg carton
- 3. Large white eggs, one dozen, in egg carton
- 4. Large any other color eggs, one dozen in egg carton
- 5. Bantam eggs, one dozen in egg carton
- 6. Eggs, one dozen, any color in decorative basket
- 7. Eggs, one dozen, any color, themed display, not to exceed 12"H x 12"W x 14"L.
- 8. Single egg, etched, painted or embellished in an artistic way
- 9. Poultry Costume Contest (Poultry Tent, date and time TBA)

Poultry Costume Contest Rules -

- (a) Entries open to all ages. Exhibitor's age on the day of the show will determine his/her class.
- (b) The number of exhibitors will determine the number of classes.
- (c) These classes will be broken down by age if there are enough entrants.
- (d) Poultry must have been exhibited on Thursday at the Waukesha County Fair, but can be shown by someone other than the exhibitor as long as exhibitor approves.

RIBBON ONLY

- (e) To enter, exhibitors must sign up on Fair entry card and complete an entry form and return it to the Poultry Superintendent by the start of Fair.
- (f) Garments worn by the exhibitors may be either purchased, or constructed by or for the exhibitors.
- 10. Avian Quiz Bowl

Championship Ribbons Awarded as Judge desires (Not applicable to Poultry Costume Contest)

MARKET POULTRY AUCTION

RULES

- Any exhibitor entering market birds in Division: Poultry Market Class (#1 6) is required to sell their birds at the Friday evening Livestock Auction unless species limits are met by the exhibitor or maximum auction limits are met (20 entries).
- 2. Any exhibitor entering in Division: Poultry Market Class (#1 –6) must attend two (2) county wide meeting, and one (1) YQCA (Youth for the Quality Care of Animals) educational training during the current project year.
- 3. Auction entries from Division: Poultry Market Class only. The first three classes (Broiler Chickens, Roaster Chickens, and Ducks) are considered one entry even though two birds are exhibited. Fees are per bird.
- 4. Top placing birds will be eligible for auction if auction criteria are met:
 - A. Geese, standard weights, as listed for young goose and gander, in the APA standard of Perfection for heavy and medium class only.
 - B. Ducks, standard weights, as listed for young duck and drake, in the APA standard of Perfection for heavy and medium class only.
- 5. Broiler and Roaster chickens, and turkey weights as listed.
- Poultry in Auction not for re-sale.
- See the <u>Livestock Auction Rules</u> for more details.

DIVISION: POULTRY MARKET CLASS

Class No. Blue Red White Pink 2.00 1.75 1.50 1.25

- 1. Broiler Chickens, 2 birds of same sex (4 lbs. up to 6 lbs., each, live weight)
- 2. Roaster Chickens, 2 birds of same sex (6 lbs. and over, each, live weight)
- 3. Young Ducks, 2 birds either sex (6 lbs. and over, each live weight)
- 4. Young Goose, 1 bird either sex (10 lbs. and over, live weight)
- 5. Young Turkey, Tom (over 15 weeks old) and minimum weight of 25 lbs.
- 6. Young Turkey, Hen (over 15 weeks old) and minimum weight of 20 lbs.

(rev3/2024)